

Surname						Other Names					
Centre Number						Candidate Number					
Candidate Signature											

For Examiner's Use

General Certificate of Secondary Education
November 2008



MATHEMATICS (MODULAR) (SPECIFICATION B)
Module 5 Higher Tier
Paper 1 Non-calculator

43005/1H
H

Thursday 6 November 2008 9.00 am to 10.15 am

<p>For this paper you must have:</p> <ul style="list-style-type: none"> mathematical instruments. <p>You must not use a calculator.</p>	
--	--

For Examiner's Use	
Pages	Mark
3	
4–5	
6–7	
8–9	
10–11	
12–13	
14–15	
TOTAL	
Examiner's Initials	

Time allowed: 1 hour 15 minutes

Instructions

- Use black ink or black ball-point pen. Draw diagrams in pencil.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Answers written in margins or on blank pages will not be marked.
- Do all rough work in this book.

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You may ask for more answer paper, graph paper and tracing paper. This must be tagged securely to this answer book.


Advice

- In all calculations, show clearly how you work out your answer.




Formulae Sheet: Higher Tier

Area of trapezium = $\frac{1}{2}(a+b)h$




Volume of prism = area of cross-section \times length




Volume of sphere = $\frac{4}{3}\pi r^3$

Surface area of sphere = $4\pi r^2$



Volume of cone = $\frac{1}{3}\pi r^2 h$

Curved surface area of cone = $\pi r l$




In any triangle ABC

Area of triangle = $\frac{1}{2}ab \sin C$

Sine rule $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine rule $a^2 = b^2 + c^2 - 2bc \cos A$



The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$, where $a \neq 0$, are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$




Answer **all** questions in the spaces provided.

1 The diagram shows a trapezium.

$a = 5 \text{ cm}$

$b = 7 \text{ cm}$

$h = 4 \text{ cm}$



Not drawn accurately

Work out the area of the trapezium.
State the units of your answer.

.....

.....

.....

.....

Answer (3 marks)

Turn over for the next question



- 2 (a) Factorise fully $x^3 - 4x^2$

.....

Answer (2 marks)

- 2 (b) Work out the value of $14^3 - 4 \times 14^2$


.....

.....

.....

Answer (3 marks)

- 3 The diagram shows a sketch of a parallelogram.




Not drawn
accurately

Make an accurate drawing of the parallelogram.

(3 marks)



- 4 The diagram shows a chevron.
It has one line of symmetry as shown.



- 4 (a) Work out the value of x .

.....

.....

.....

.....

Answer degrees (2 marks)

- 4 (b) Work out the value of y .


.....

.....

Answer degrees (2 marks)



5 (a) Shaded and unshaded circles are used to make a sequence of patterns as shown.



5 (a) (i) There are 12 unshaded circles in Pattern 6.

Work out the number of shaded circles in Pattern 7.

.....

.....

.....

.....

.....

Answer (1 mark)

5 (a) (ii) There are n unshaded circles in Pattern p .

Write down the number of shaded circles in Pattern $(p + 1)$.

Answer (1 mark)

5 (a) (iii) The total number of circles in a pattern is given by the formula

$$C = \frac{p(p + 1)}{2}$$

C is the total number of circles.
 p is the pattern number.

Work out the value of C when $p = 100$

.....

.....

Answer (2 marks)



- 5 (b) The n th term of a sequence is given by the formula $2n - 1$

Write down the first **four** terms of the sequence.

.....

.....

.....

.....

Answer (2 marks)

- 6 (a) Solve $6x + 9 = 2x + 7$

.....

.....

.....

Answer $x =$ (3 marks)

- 6 (b) Expand and simplify $3(7a - 5b) + 2(4a - 3b)$

.....

.....

.....

Answer (3 marks)

- 6 (c) Given that $a = 8$, $b = -3$, $c = 1$ and $d = -5$

work out the value of $\frac{a + b}{cd}$

.....


.....

.....

Answer (3 marks)



- 7 The diagram shows a decagon.
All the sides are equal in length.



Not drawn accurately

The interior angles of the decagon have a sum of 1440° .
Each reflex interior angle is 200° .

Work out the size of each acute interior angle.

.....

.....

.....

.....

Answer degrees (4 marks)



- 8** (a) Simplify $8^4 \times 8^5$
Leave your answer as a power of 8.

.....
Answer (1 mark)

- 8** (b) Simplify $w^6 \div w^2$

.....
Answer (1 mark)

- 8** (c) Chris simplifies $3x \times 4x^5$

His answer is $7x^5$

Explain the mistakes he has made.

.....
.....
.....
..... (2 marks)

- 8** (d) Simplify fully $15y^6 z^3 \div 5y^2 z$

.....
.....
Answer (2 marks)



- 9 Here are some expressions.
 r , h , l , w and b represent lengths.

πr^2	$\pi r^2 h$	$2l + 2w$	lwh	$\frac{1}{2}bh$	$2\pi r$

- 9 (a) Put a tick under each expression which represents volume.

(2 marks)

- 9 (b) Ismail says that any expression containing exactly two letters must represent area.

Is he correct?

Explain your answer.

.....

.....

.....

(2 marks)



10 You may use the graph paper below to help you with this question.

The points $A(0, 10)$ and $B(5, -2)$ are joined by a straight line.

10 (a) Work out the length of AB .

.....
.....
.....

Answer units (3 marks)


10 (b) (i) Work out the gradient of line AB .

.....
.....


Answer (2 marks)

10 (b) (ii) Write down the equation of line AB .

Answer (1 mark)



- 11** The diagram shows a cuboid.
The volume of the cuboid is 900 cm^3 .



Not drawn
accurately

- 11 (a)** Show that $2x^2 + 3x - 90 = 0$

.....

.....

.....

.....

.....

(3 marks)

- 11 (b)** Solve $2x^2 + 3x - 90 = 0$

.....

.....

.....

.....

.....

.....

.....


.....

.....

Answer (3 marks)



11 (c) Here is a similar cuboid.



Not drawn
accurately

Work out the volume of this cuboid.

.....

.....

.....

.....

.....

.....

.....

.....

.....

Answer cm³ (3 marks)

Turn over for the next question



12 Simplify fully $\frac{4x^2 - 25}{6x^2 - 15x}$

.....

.....

.....

.....

Answer (3 marks)

13 (a) **s** and **t** are vectors.

$$\begin{aligned} \vec{AB} &= \mathbf{s} + \mathbf{t} \\ \vec{BC} &= 2\mathbf{s} + \mathbf{t} \\ \vec{CD} &= \mathbf{s} + 2\mathbf{t} \end{aligned}$$

13 (a) (i) Show that \vec{BD} is parallel to \vec{AB} .

.....

.....

.....

(2 marks)

13 (a) (ii) Write down the ratio $BD : AB$

Answer (1 mark)

13 (a) (iii) Write down a different fact about points *A*, *B* and *D*.

.....

(1 mark)



- 13 (b) O is the origin.
 F , G and H are three points such that

$$\vec{OF} = \begin{pmatrix} 2 \\ 1 \end{pmatrix}$$

$$\vec{OG} = \begin{pmatrix} 3 \\ -3 \end{pmatrix}$$

$$\vec{OH} = \begin{pmatrix} 6 \\ 2 \end{pmatrix}$$

Prove that angle GFH is a right angle.
You **must** show your working.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(4 marks)

END OF QUESTIONS



There are no questions printed on this page

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Copyright © 2008 AQA and its licensors. All rights reserved.

